

F. No. J- 11011/807/2007-IA.II(I)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan
JorBagh Road, Aliganj,
New Delhi – 110003

E-mail: dirind-moefcc@gov.in
Tel: 011-24695368

Dated: 19.01.2021

To

Mr. Naveen Kumar Sharma
Director
M/s. Udaipur Cement Works Limited (UCWL)
Udaipur, Shripati Nagar, P.O. CFA 313022
Village Dabok, Tehsil: Mavli,
District: Udaipur, State-Rajasthan
E-mail: ucwl.ec@gmail.com

Subject: Proposed Expansion of Integrated Cement Plant-Clinker (2.00 MTPA to 5.00 MTPA), Cement (2.85 MTPA to 7.00 MTPA), WHRB (12 MW to 30 MW) and Installation of new 25 MW Captive Thermal Power Plant by **M/s. Udaipur Cement Works Limited** at Shripati Nagar, P.O. CFA 313022, Dabok, Tehsil Mavli, **District Udaipur, Rajasthan** – Environment Clearance – regarding.

Sir,

1. This has reference to the online application of M/s. Udaipur Cement Works Limited (UCWL) made vide proposal no. IA/RJ/IND/6507/2007 dated 18.09.2020 along with copy of EIA/EMP report and Form- 2 seeking Environment Clearance (EC) under the provisions of the EIA Notification, 2006 for the project mentioned above. Subsequently, revised proposal was submitted vide proposal no. IA/RJ/IND/184900/2007 dated 25.11.2020 to this ministry. The proposed project activity is listed at schedule 3(b) Cement plants under Category "A" of the schedule of the EIA Notification, 2006 and appraised at Central Level.
2. The aforesaid proposal was considered in the 24th and 26th meeting of the EAC (Industry - 1) held on 27-29th October 2020 and 16-17th December, 2020 respectively.

Details submitted by the project proponent

3. The detail of the ToR is furnished as below:

Date of application	Consideration	Details	Date of accord
24/12/2019	15 th meeting held on 16 th -17 th of January, 2020	Terms of Reference	05/02/2020

Environmental Clearance for the project titled "Proposed Expansion of Integrated Cement Plant-Clinker (2.00 MTPA to 5.00 MTPA), Cement (2.85 MTPA to 7.00 MTPA), WHRB (12 MW to 30 MW) and Installation of new 25 MW Captive Thermal Power Plant by M/s. Udaipur Cement Works Limited at Shripati Nagar, P.O. CFA 313022, Dabok, Tehsil Mavli, District Udaipur, Rajasthan."

4. The project of M/s. Udaipur Cement Works Limited (UCWL), Udaipur is located at Shripati Nagar, P.O. CFA 313022, village Dabok, Tehsil: Mavli, District: Udaipur, State- Rajasthan is for expansion of Integrated Cement Plant within the existing premises of UCWL; Clinker from 2.0 Million Tons Per Annum (MTPA) to 5.0 MTPA, Cement from 2.85 MTPA to 7.0 MTPA, Waste Heat Recovery Boiler Based Power Plant (WHRB) from 12.0 Mega Watt (MW) to 30.0 MW and Installation of a new Captive Thermal Power Plant (CTPP) of capacity 25 MW & Solar Power Plant from 7.6 MW/day to 15.2 MW/day & DG Set from 0.5 MW to 2.5 MW.
5. The existing project was accorded environmental clearance vide lr.no J-11011/807/2007-IA-II (I) dated 09/01/2008. It has been reported that the Consent to Operate for cement plant from the Rajasthan State Pollution Control Board obtained vide Lr. No F (CPM)/Udaipur (Girwa)/9(1)/2013-2014/5784-5786dated 11/03/2020, with validity till 30/11/2024 and CTO for 12.0 MW Waste Heat Recovery Plant vide letter no. F (CPM)/Udaipur (Girwa)/9(1)/2013-2014/10972-10974 dated 27/02/2017 with validity till 30/09/2021.
6. The following are the existing and proposed plant configuration and production capacity:

S. No.	Product	Existing (MTPA)	Proposed Additional (MTPA)	Total After Expansion (MTPA)
1	Cement (Ordinary Portland Cement (OPC), Portland Pozzolana Cement (PPC), Portland Slag Cement (PSC), Sulphate Resisting Portland Cement (SRPC) and Composite Cement)	2.85	4.15	7.0
2	Clinker	2.00	3.0	5.0
Power Generation (MW)				
3	CTPP	0	25	25
4	WHRB	12	18	30
5	Solar Power (MW/Day)	7.6	7.6	15.2
6	DG Set	0.5	2.0	2.5

7. Project Proponent (UCWL) has reported that they already have 161.87 ha. land and Expansion Project will be installed in the existing land of 161.87 ha. This is an industrial land. No forest land is involved. The entire land has already been acquired for the project. No River / water body passes through the project area. Gadela River & Berach River (seasonal) is located at ~2.59 km (NE) & 5.66 km towards South and Katara Nadi -6.36 km towards WSW of the project site and modification/diversion in the existing natural drainage pattern at any stage has not been proposed.
8. The topography of the area is flat and reported to lie between 24°38'43.77"N to 24°39'40.69"N Latitude and 73°52'16.64"E to 73°52'50.07" E Longitude in Survey of India topo sheet No. 45 H/14, at an elevation of 540 AMSL. The ground water table reported to range between 10m to 20 m below the land surface during the pre-monsoon

Environmental Clearance for the project titled "Proposed Expansion of Integrated Cement Plant-Clinker (2.00 MTPA to 5.00 MTPA), Cement (2.85 MTPA to 7.00 MTPA), WHRB (12 MW to 30 MW) and Installation of new 25 MW Captive Thermal Power Plant by M/s. Udaipur Cement Works Limited at Shripati Nagar, P.O. CFA 313022, Dabok, Tehsil Mavli, District Udaipur, Rajasthan."

season and 5 m to 10 m below the land surface during the post-monsoon season. The project area falls in Mavli block which falls under over exploited category and stage of ground water development is 138.03 %.

9. No National Park/Wildlife Sanctuary/Biosphere Reserve/Tiger Reserve/elephant reserve etc. are reported to be located in the core and buffer zone of the project. The area also does not report to corridor for Schedule-I fauna. The authenticated list of flora and fauna provided through the Dy. Conservator of Forest (North) Udaipur vide letter no. F () survey/Dy.CF-North/2019-20/4564 dated 02.08.2019 reporting presence of no /schedule-I fauna in the study area.
10. Cement manufacturing process is a dry based manufacturing utilizing the pre-calciner technology. The process of project showing the basic raw material used and the various processes involved to produce the final output are given below.

S. No	Raw Material	Existing	Proposed	Total (TPD)	Source	Mode of transport
1.	Limestone	10740	16968	27708	Captive Daroli Limestone Mine 1 & 2	Over Land Belt Conveyor (OLBC) (6 KM)/Road
2.	Additive (Red Ochre, Alumina Clay, China Clay, Copper/ Zinc/ Iron Slag, Pond Ash, Feldspar, Siliceous Sand/Stone Sand, Laterite, Iron Dust, Bentonite Clay etc.)	1010	2760	3770	Chittorgarh, Dariba, Rajsamand, Gandhinagar (Gujarat) etc.	120 – 250 KM by Road
3.	Gypsum (Mineral/ Chemical etc.) (Anhydrous/ Hydrated)	510	740	1250	Bikaner, Ahemdabad, Gandhinagar (Gujarat) etc.	250-550 km by Road
4.	Fly Ash (Dry/Wet)	1000	2786	3786	From proposed CTPP & nearby PPs (Rajasthan, Gujarat etc.)	250 - 280 km by Road
5.	Coal/Pet coke (Imported/ Indigenous)/AFR/MSW/RDF/ Haz. Wastes/Biomass etc.	1067	1600	2667	Indigenous / Imported from local/open market	50 – 550 KM by Road/Rail
6.	Coal /AFR / Biomass/ MSW for CTPP (Petcoke – Subject to future approval for CTPP)	-	500	500	Indigenous / Imported from local/open market	50-550 km by Road/Rail

The Various process involved are raising, crushing, conveying, grinding, pyro-processing, fine grinding and packing. No waste generation in mentioned processes.

Environmental Clearance for the project titled "Proposed Expansion of Integrated Cement Plant-Clinker (2.00 MTPA to 5.00 MTPA), Cement (2.85 MTPA to 7.00 MTPA), WHRB (12 MW to 30 MW) and Installation of new 25 MW Captive Thermal Power Plant by M/s. Udaipur Cement Works Limited at Shripati Nagar, P.O. CFA 313022, Dabok, Tehsil Mavli, District Udaipur, Rajasthan."

11. The Limestone for the plant is being/will be catered from captive limestone mine (linkages Daroli- Limestone Mining-1 Project (ML-No.-02/88) & Daroli- Limestone Mining-2 Project (ML-No.-64/79)) through Over Land Belt Conveyor (OLBC) & Road. Mine ToR application are under process to apply.
12. Water Consumption for the proposed project will be 3280 KLD. Thus, total fresh water requirement after proposed expansion will be 6130 KLD, out of which 2525 KLD is being met from the groundwater and remaining requirement of 3605 KLD will be met from Rain Water Harvesting Storage Structures by creating new Rain Water Harvesting and augmenting of capacity of Rain Water Harvesting Ponds/Pits. No additional ground water is required for proposed expansion project. The permission for drawl of groundwater is obtained from CGWA vide Lr. No. 21 – 4 (211)/WR/CGWA/ 2007 - 626 dated 22.04.2016. And the renewal of the CGWA NOC is under process.
13. The power requirement of the project after proposed expansion is estimated as 70.0 MW which will be sourced from Captive Thermal Power Plant (CTPP), Waste Heat Recovery Boiler (WHRB) based power plant, Solar Power Plant & Rajasthan State Electricity Board (RSEB). Udaipur Cement Works Limited also proposes Capacity expansion in WHRB based power plant (12 MW to 30 MW), Solar Power Plant (7.6 to 15.2 MW/Day), DG Sets (0.5 MW to 2.5 MW) and installation of a new CTPP (25 MW). DG Sets will be used as an Emergency Back-up only.

14. Baseline Environmental Studies

Period	1 st March 2019 to 31 st May 2019
AAQ parameters at 11 locations	PM _{2.5} = 22.3 to 50.9 µg/m ³ PM ₁₀ = 38.1 to 82.6 µg/m ³ SO ₂ = 6.0 to 14.0 µg/m ³ NOx = 6.0 to 29.7 µg/m ³
AAQ modelling	PM ₁₀ = 7.77 µg/m ³ SO ₂ = 3.79 µg/m ³ NOx = 7.25 µg/m ³
Ground water quality at 11 locations	pH: 6.79 to 7.97, Total Hardness: 344 to 1160 mg/l, Chlorides: 51.98 to 749.77 mg/l, Fluoride: 0.41 to 1.57 mg/l. Heavy metals are within the limits.
Surface water quality at one location	Maximum pH: 7.27; DO: 4.8 mg/l and BOD: 4.2 mg/l. COD 15 mg/l.
Noise levels	50.8 to 67.2 dBA for leq (day) and 41.8 to 62.3 dBA for leq (night).

15. It has been reported that no R&R is involved as no additional land is required for the project.
16. The details of existing and additional solid & hazardous waste generation have been shown in the table below.

Solid waste	Existing	Proposed	After Expansion	Management
Cement	--	--	--	No solid waste will be

Environmental Clearance for the project titled "Proposed Expansion of Integrated Cement Plant-Clinker (2.00 MTPA to 5.00 MTPA), Cement (2.85 MTPA to 7.00 MTPA), WHRB (12 MW to 30 MW) and Installation of new 25 MW Captive Thermal Power Plant by M/s. Udaipur Cement Works Limited at Shripati Nagar, P.O. CFA 313022, Dabok, Tehsil Mavli, District Udaipur, Rajasthan."

Solid waste	Existing	Proposed	After Expansion	Management
				generated in cement manufacturing process. Dust collected from Air Pollution Control Equipment will be 100% recycled in the cement manufacturing
Ash from CTPP	-	Approx. 200-250 TPD	Approx. 200-250 TPD	Will be used in cement manufacturing in PPC
Sludge from STP	2-3 KG/Day	10-12 Kg/Day	12-15 Kg/Day	Used as manure for plantation
Used or spent oil	21.60 KL/A	Avg. 32.40KL/A	54 KL/A	Sales to CPCB/SPCB registered Recyclers and fired in pre-calciner.
Batteries	1 Ton/A	Avg. 2 Ton/A	Avg. 3 Ton/A	To be sold to CPCB/SPCB authorized vendors.
Note: Proposed qty. maybe varied after detailed engineering.				

17. The Public hearing of the project was held on 15.07.2020 at project site of UCWL under the chairmanship of Mr. O.P. Bunkar- Additional District Collector (Administration) Udaipur. The issues raised during public hearing are about employment, woman empowerment and skill development. An amount of Rs.400 lacs has been earmarked to address the issues raised during public consultation.

18. The capital cost of the proposed expansion project is about Rs 1600 Crores. And capital cost for environmental protection measures is proposed as Rs. 18785 Lacs. The annual recurring cost towards the environmental protection measures is proposed as Rs 410 lacs/annum. The direct employment generation after proposed expansion will be 120 and apart from this indirect employment will also be generated.

19. The details of cost for environmental protection measures is as follows:

S. No.	Description of Item	Existing (Rs. In Lacs)		Proposed (Rs. In Lacs)	
		Capital Cost	Recurring Cost	Capital Cost	Recurring Cost
1	Air Pollution Control/ Noise	10741	375.9	18000	390
2	Water Pollution Control	49	1.7	15	2.5
3	Environmental Monitoring and Management	196	6.9	330	7.5
4	Green Belt Development	19	0.7	30	1.0
5	Occupational Health	33	1.2	10	2.0
6*	Jobs & Sustainable employment	-	-	110	5.0
7*	Infrastructure development	-	-	150	1.0
8*	Medical & Health	-	-	60	0.50

Environmental Clearance for the project titled "Proposed Expansion of Integrated Cement Plant-Clinker (2.00 MTPA to 5.00 MTPA), Cement (2.85 MTPA to 7.00 MTPA), WHRB (12 MW to 30 MW) and Installation of new 25 MW Captive Thermal Power Plant by M/s. Udaipur Cement Works Limited at Shripati Nagar, P.O. CFA 313022, Dabok, Tehsil Mavli, District Udaipur, Rajasthan."

S. No.	Description of Item	Existing (Rs. In Lacs)		Proposed (Rs. In Lacs)	
		Capital Cost	Recurring Cost	Capital Cost	Recurring Cost
9*	Water supply line works required nearby area	-	-	46	0.50
10*	For improvement in survival rate of plantation eaten by stray cattle	-	-	12	-
11*	Greenbelt Development/plantation in nearby village (Schools, Hospitals and institutions)	-	-	22	-
Total		11038	386	18785	410

Note: *indicates budgetary provisions as per MoEF&CC O.M. No. 22-65/2017-IA.III dated 30/09/2020.

20. About 55 ha i.e., 33.98 % of the existing plant area (161.78 ha) has already been developed under greenbelt & plantation. An additional area of 10 acres (i.e. 4.0 ha.) will be developed under greenbelt. Total 59 ha (36.4%) of the existing plant area (161.78 ha) will be developed as green belt with proposed expansion project. A 100 m wide greenbelt, consisting of at least 3 tiers around plant boundary will be developed as greenbelt and green cover as per CPCB/MoEF&CC, New Delhi guidelines. Local and native species will be planted with a density of 2500 trees per hectare. Total no. of 10000 saplings will be planted and nurtured in 4.04. ha in next 5 years
21. The proponent has mentioned that there is no court case or violation under EIA Notification to the project or related activity.
22. Name of the EIA consultant: M/s. Enkay Enviro Services Pvt. Ltd., Jaipur [S.No. 102, List of ACOs with their Certificate / Extension Letter no. Rev. 05, Dec. 18, 2020].

Observations of the Committee

23. The Committee noted the following:
- The Committee noted that the EIA/EMP report is found to be in order reflecting the present environmental concerns and the projected scenario for all the environmental components. The Committee has found the baseline data reported and incremental GLC due to the proposed project are within NAAQ standards.
 - The Committee satisfied with the compliance status of the existing EC conditions as reported by the RO.
 - The Committee has also deliberated on the public hearing issues as well as action plan to address the issues raised public hearing submitted during the course of meeting by the project proponent and found it satisfactory.

Recommendations of the Committee

Environmental Clearance for the project titled "Proposed Expansion of Integrated Cement Plant-Clinker (2.00 MTPA to 5.00 MTPA), Cement (2.85 MTPA to 7.00 MTPA), WHRB (12 MW to 30 MW) and Installation of new 25 MW Captive Thermal Power Plant by M/s. Udaipur Cement Works Limited at Shripati Nagar, P.O. CFA 313022, Dabok, Tehsil Mavli, District Udaipur, Rajasthan."

24. In view of the foregoing and after deliberations, **the committee recommended the instant proposal for grant of Environment Clearance** under the provisions of EIA Notification, 2006 subject to the stipulation of specific conditions and general conditions as per the Ministry's Office Memorandum No. 22-34/2018-III dated 9/8/2018 pertaining to Integrated Cement Plants on project specific requirements.

Decision of MoEF&CC

25. The Ministry of Environment, Forest and Climate Change has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the recommendations of the Expert Appraisal Committee (Industry-1) hereby decided to grant Environment Clearance for instant proposal under the provisions of EIA Notification, 2006 subject to the following of specific conditions and general conditions as per the Ministry's Office Memorandum No. 22-34/2018-III dated 9/8/2018 pertaining to Integrated Cement Plants based on project specific requirements.

A. Specific conditions:

- i. The project proponent shall obtain the necessary permission from the competent authority concerned for drawl of groundwater before commencement of work.
- ii. Dioxin/furan to be monitored by NABL accredited laboratory half yearly basis and report shall be furnished to the RO.
- iii. Stack emissions (PM) from all kilns shall not exceed 30 mg/Nm³.
- iv. Green belt shall be developed in an area of 59 ha of the total plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.
- v. Action plan to address the issues raised during public hearing shall be implemented and compliance status shall be furnished to the RO on six monthly basis.
- vi. Public Health Centres shall be established in villages, Daroli, Dabok, Modi, Khemli, Nandbel and Dhunimata in consultation with local administration.
- vii. PTFE (or) equivalent bags shall be used in filter bag house and designed for 150% of normal design air flow.
- viii. PP shall use ultralow NO_x burner with three stage combustion, flue gas recirculation and auto combustion control system.
- ix. FGD system for SO_x Control shall be used.

B. General conditions:

I. Statutory compliance:

- i. The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislations, etc., as may be applicable to the project.

II. Air quality monitoring and preservation

Environmental Clearance for the project titled "Proposed Expansion of Integrated Cement Plant-Clinker (2.00 MTPA to 5.00 MTPA), Cement (2.85 MTPA to 7.00 MTPA), WHRB (12 MW to 30 MW) and installation of new 25 MW Captive Thermal Power Plant by M/s. Udaipur Cement Works Limited at Shripati Nagar, P.O. CFA 313022, Dabok, Tehsil Mavli, District Udaipur, Rajasthan."

- i. The project proponent shall install 24x7 Continuous Emission Monitoring System (CEMS) at process stacks to monitor stack emission as well as Continuous Ambient Air Quality Station (CAAQS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognised under Environment (Protection) Act, 1986.
- iii. The project proponent shall provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.
- iv. Ensure covered transportation and conveying of ore, coal and other raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash;
- v. Provide wind shelter fence and chemical spraying on the raw material stock piles; and
- vi. Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of covered conveyor belts/railways as a mode of transport
- vii. Ventilation system shall be designed for adequate air changes as per the prevailing norms for all tunnels, motor houses, cement bagging plants.

III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25th August, 2014 (Cement) and subsequent amendment dated 9th May, 2016 (Cement) and 10th May, 2016 (in case of Co-processing Cement) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall regularly monitor ground water quality at least twice a year (pre- and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. Adhere to 'Zero Liquid Discharge'.
- iv. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- v. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off
- vi. Water meters shall be provided at the inlet to all unit processes in the cement plant.

- vii. The project proponent shall make efforts to minimise water consumption in the cement plant complex by segregation of used water, practicing cascade use and by recycling treated water.

IV. Noise monitoring and prevention

- i. Noise quality shall be monitored as per the prescribed Noise Pollution (Regulation And Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report

V. Energy Conservation measures

- i. Waste heat recovery system shall be provided for kiln and cooler.
ii. The project proponent make efforts to achieve power consumption less than 65 units/tonne for Portland Pozzolona Cement (PPC) and 85 units/tonne for Ordinary Portland Cement (OPC) production and thermal energy consumption of 670 Kcal/Kg of clinker.
iii. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
iv. Provide the project proponent for LED lights in their offices and residential areas.
v. Maximize utilization of fly ash, slag and sweetener in cement blend as per BIS standards.
vi. Maximize utilization of alternate fuels and Co-processing to achieve best practice norms.

VI. Waste management

- i. Used refractories shall be recycled as far as possible.
ii. Kitchen waste shall be composted or converted to biogas for further use.

VII. Green Belt

- i. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

VIII. Public hearing and Human health issues

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
ii. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
iii. Occupational health surveillance of the workers shall be done on a regular basis and records maintained.

IX. Corporate Environment Responsibility

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 30/09/2020.

Environmental Clearance for the project titled "Proposed Expansion of Integrated Cement Plant-Clinker (2.00 MTPA to 5.00 MTPA), Cement (2.85 MTPA to 7.00 MTPA), WHRB (12 MW to 30 MW) and Installation of new 25 MW Captive Thermal Power Plant by M/s. Udaipur Cement Works Limited at Shripati Nagar, P.O. CFA 313022, Dabok, Tehsil Mavli, District Udaipur, Rajasthan."


- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.

X. Miscellaneous

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM10, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.

- ix. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- x. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xi. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xiii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

This issues with the approval of Competent Authority.


(A.K. Agrawal)
Director

Copy to:-

1. Secretary, Department of Environment, Government of Rajasthan, Secretariat Jaipur.
2. Deputy Director General of Forests (C), Ministry of Env., Forest and Climate Change, Regional Office (CZ), Kendriya Bhawan, 5th Floor, Sector "H" Aliganj, Lucknow-226020.
3. Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-Office complex, East Arjun Nagar, New Delhi-1 100032.
4. Member Secretary, Central Ground Water Authority, 1 8/11, Jamnagar House, Man Singh Road. New Delhi- 110011.
5. Chairman, Rajasthan State Pollution Control Board, 4 Institutional area, Jlalana, Doongri, Jaipur.
6. District Collector, Udaipur District, State Rajasthan.
7. Guard File/Record File/Monitoring file.
8. MoEF&CC Website


(A.K. Agrawal)
Director